

Saving water no longer requires a sacrifice. Everybody wants to conserve water, but nobody wants to give up a great flush or a great shower. That's why we invented the FloWise High Efficiency toilets and showerheads. The toilets use just 1.28 gallons per flush – that's 20% less than a regular 1.6 gpf or more than 60% over a 3.5 gallon per flush toilet. And the showerheads use as little as 1.5 gpm, a 40% savings over 2.5 gpm showers while still delivering a drenching spray. **All products shown here can be used to earn credits for LEED certification.**

See below for a complete list of our water conserving, high performance products.



### FLOWISE TOILET

- ▶ The industry's largest flush valve — high flow 4" Accelerator Flush Valve pushes water into the bowl three times faster, releasing the full 1.28 gallon in less than one second.
- ▶ An extra wide trapway — a larger diameter than the industry standard, this fully glazed siphon trapway can move a 60% larger mass than a standard 2" trapway can.
- ▶ EverClean antimicrobial surface — helps the toilet keep itself clean by continuously inhibiting the growth of stain and odor causing bacteria, mold and mildew.
- ▶ 10 year worry free warranty — covers everything inside and out for residential and commercial installations.
- ▶ Qualifies for WaterSense label.
- ▶ FloWise can save a family of 4 more than 4,000 gallons of water a year versus a 1.6 gpf and more than 12,000 gallons a year versus a 3.5 gpf toilet.

2073.014



### FLOWISE DUAL FLUSH ELONGATED TOILET

- ▶ A High Efficiency Toilet equals low water consumption — full flush uses 1.6 gpf and partial flush just .8 gpf.
- ▶ Smooth sided, concealed trapway.
- ▶ Fully glazed 2 5/8" trapway.
- ▶ Top mounted chrome push button actuator.
- ▶ Includes seat.

2479.216

AVAILABLE JUNE 2008



\* When installed, top of seat is 17" to 19" from finished floor

**MADERA/AFWALL RETROFIT TOILET**

- ▶ Optimized performance-when combined with the 1.28 gpf Selectronic flush valve, this bowl saves 20% on water over a 1.6 gpf bowl without sacrificing performance.
- ▶ This new design helps keep itself and the floor cleaner. The condensation tray and sanitary sloped rim funnel liquids into bowl, not on floor. The EverClean surface helps the toilet keep itself clean.
- ▶ 2x standard static when used with a 1,000 lb carrier properly installed and mounted.

| <b>MADERA 15"</b>   | <b>MADERA 16½"</b>  | <b>AFWALL ADA</b>   | <b>AFWALL</b>   |
|---|---|---|---|
| <b>3451.128</b><br>Elongated top spud                     | <b>3461.128</b><br>Elongated top spud                     | <b>3355.128</b><br>Elongated top spud                     | <b>3351.128</b><br>Elongated top spud                     |
| <b>3452.128</b><br>Elongated top spud with bed pan slots  | <b>3462.128</b><br>Elongated top spud with bed pan slots  | <b>3356.128</b><br>Elongated top spud with bed pan slots  | <b>3352.128</b><br>Elongated top spud with bed pan slots  |
| <b>3453.128</b><br>Elongated back spud                    | <b>3463.128</b><br>Elongated back spud                    | <b>3357.128</b><br>Elongated back spud                    | <b>3353.128</b><br>Elongated back spud                    |
| <b>3455.128</b><br>Elongated back spud with bed pan slots | <b>3464.128</b><br>Elongated back spud with bed pan slots | <b>3358.128</b><br>Elongated back spud with bed pan slots | <b>3354.128</b><br>Elongated back spud with bed pan slots |



**INNSBROOK URINAL WITH SELECTRONIC TECHNOLOGY**

- ▶ 0.5 gpf urinal with integral proximity flush system.
- ▶ Selectronic flush system — one sensor for urinal, toilet or faucets reduces parts and headaches.

**0.5 gpf**  
**6520.001**  
**6520.003**



**SELECTRONIC FLUSH VALVE – 1.28 GPF**

- ▶ Water efficient — valve saves 20% on water usage over 1.6 gpf when matched with the 1.28 gpf Afwall or Madera.
- ▶ Clog resistant — self cleaning piston valve prevents clogging and reduces maintenance. Positive seal ensures leak-free performance.
- ▶ Fail-Safe — fully mechanical manual over-ride can flush toilet during a power failure. The valve always saves enough power to automatically close during lose of power.
- ▶ One sensor fits all — only 1 sensor needed for the entire Selectronic line of faucets, flush valves and urinals simplifying user training and spare parts inventory. Valve parameters can be adjusted manually or with optional remote control.
- ▶ Available in battery, AC or multi-powered.

**1.28 gpf**

**6065.121**

Exposed 11½" rough-in

**6065.122**

Exposed 27" rough-in

**6065.525**

Retrofit Valve

Bathrooms account for 75% of indoor water use and showers are the 3rd largest component source of water waste. A family of four can save up to 8,000 gallons per year by replacing a current 2.5 gpm showerhead with the FloWise Showerheads at 1.5 gpm. That's a 40% savings.



A.



B.



C.

**FLOWISE SHOWERHEADS**

- ▶ Our exclusive turbine technology takes the pressurized water and spins it to create a drenching flow of water for an invigorating shower.
- ▶ Feels great — delivers a drenching spray while saving 40% on water.
- ▶ Adjustable showerheads let you customize the spray to your height and body position.

**A. Basic Showerhead – 1.5 gpm**

**1660.710**

**B. Styled Showerhead – 1.5 gpm**

**1660.715**

**3-FUNCTION SHOWERHEAD**

- ▶ The 3 function showerhead features 3 spray modes; an ultra-water saving spray at 1.5 gpm; a wash and rinse mode with two distinct streams of water at 2.0 gpm, and an invigorating mode that creates a drenching, invigorating spray also at 2.0 gpm.
- ▶ Adjustable spray angle for personalized comfort.
- ▶ 36 easy clean nozzles for a therapeutic spray.
- ▶ Exclusive auto return feature reverts to maximum water savings when shower is turned off.

**C. 3-Function Showerhead**

**1660.717**




Ultra Water-Saving Spray Pattern

Dual Stream Wash and Rinse Spray Pattern

Invigorating Wide Spray Pattern

FloWise showerheads are also available in four shower trims:



**Colony**

**T375.128, T375.248**  
Bath/Shower  
**T372.128, T372.248**  
Shower Only

**Colony Soft**

**T675.508** Bath/Shower  
**T675.507** Shower Only

**Seva**

**T480.508** Bath/Shower  
**T480.507** Shower Only

**Reliant 3**

**T385.508** Bath/Shower  
**T385.507** Shower Only

A simple modification of an aerator can make several families of faucets water conservation applicable. Choose from the following options:



### 1.5 GPM MAX. AERATORS

▶ 15/16" Male Threads




**M922860-0020A** **M922860-0080A** **M922860-0990A** **M922860-2950A**  
Polished Chrome Polished Nickel Polished Brass Satin

▶ 55/64" Male Threads




**M922861-0020A** **M922861-0080A** **M922861-0990A** **M922861-2950A**  
Polished Chrome Polished Nickel Polished Brass Satin

### BATHROOM FAUCETS



**7881**  
Hampton



**7871**  
Hampton



**7471**  
Hampton



**7411**  
Hampton




**7385**  
Reliant 3



**1480**  
Seva



**2000**  
Ceramik



**3875**  
Colony Soft



**2275**  
Colony Soft



**2175**  
Colony Soft



**2175**  
Colony

### ALL COMMERCIAL FAUCETS

**6055, 6056, 6057** Selectronic proximity  
**6055, 6056, 6057** Innsbrook with Selectronic technology  
**2506** Moments with Selectronic technology  
**6058** Ceratronic proximity with Selectronic technology  
**1340** Metering

**4800, 4801, 4802, 6801, 6802, 6830, 6831, 6832, 7830, 7831, 5400, 5401, 5402, 7400, 7401, 7402** Heritage bath  
**6500, 6501, 6502, 6530, 6531, 6532, 5500, 5501, 5502, 7500, 7501, 7502** Monterrey  
**6279, 6270, 6274, 6275, 7231, 7230, 7271, 7270, 7100, 7490, 7890, 7293, 7295, 7298, 7292**  
 Heritage kitchen

A simple modification of an aerator can make several families of faucets water conservation applicable. Choose from the following options:



**0.5 GPM MAX. VANDAL RESISTANT AERATORS WITH KEY**



▶ 15/16" Male Threads

**066508-0020A**  
Polished Chrome




▶ 55/64" Male Threads

**066074-0020A**  
Polished Chrome


**BATHROOM FAUCETS**



**7385**  
Reliant 3



**1480**  
Seva



**3875**  
Colony Soft



**2275**  
Colony Soft



**2175**  
Colony Soft



**2175**  
Colony

**ALL COMMERCIAL FAUCETS**

- 6055, 6056, 6057** Selectronic proximity
- 6055, 6056, 6057** Innsbrook with Selectronic technology
- 2506** Moments with Selectronic technology
- 6058** Ceratronic proximity with Selectronic technology
- 1340** Metering
- 4800, 4801, 4802, 6801, 6802, 6830, 6831, 6832, 7830, 7831, 5400, 5401, 5402, 7400, 7401, 7402** Heritage bath
- 6500, 6501, 6502, 6530, 6531, 6532, 5500, 5501, 5502, 7500, 7501, 7502** Monterrey
- 6279, 6270, 6274, 6275, 7231, 7230, 7271, 7270, 7100, 7490, 7890, 7293, 7295, 7298, 7292** Heritage kitchen

All American Standard commercial faucets conserve water.

### Metering and Proximity faucets

Metering and proximity faucets save water by allowing for adjustment of cycle time to reduce the amount of water used per visit. Automatic shut-off. All faucets have water pressure range from 20 to 125 psi. All are ADA compliant.



### SELECTRONIC PROXIMITY

- ▶ All Selectronic faucets, urinals and flush valves share a single sensor which reduces parts and headaches
- ▶ Hygienic, hands-free operation
- ▶ Integral in-line strainer protects solenoid from dirt and debris
- ▶ Models available for DC, AC or Multi-AC installations
- ▶ One AC power supply can feed up to 15 faucets
- ▶ Available with 0.5 gpm spray for additional water savings

**6055, 6056, 6057**



### INNSBROOK

Innsbrook with Selectronic technology

**6055, 6056, 6057**



### MOMENTS

Moments with Selectronic technology

**2506**



### CERATRONIC

Ceratrionic proximity with Selectronic technology — adjust temperature hands free. Operates on AC permanent power

**6058**

### Metering Faucets

- ▶ Cycle time is adjustable; factory-set at 1/4 gallon per cycle. Comes standard with 1.5 gpm aerator for additional water savings.



### METERING

Factory set to 0.25 gallons of flow per activation. Comes standard with 1.5 gpm aerator, can be modified with 0.5 gpm aerator


**1340**



**HERITAGE BATH**

**4800, 4801, 4802, 6801, 6802, 6830, 6831, 6832, 7830, 7831, 5400, 5401, 5402, 7400, 7401, 7402**

*\*When installed with Wrist Blade or Lever Handles.*



**MONTERREY**

**6500, 6501, 6502, 6530, 6531, 6532, 5500, 5501, 5502, 7500, 7501, 7502**



**HERITAGE KITCHEN**

**6279, 6270, 6274, 6275, 7231, 7230, 7271, 7270, 7100, 7490, 7890, 7293, 7295, 7298, 7292, 7522**

*\*When installed with Wrist Blade or Lever Handles.*



American Standard water conserving products



ADA approved



EPA WaterSense approved products



This permanent antimicrobial surface helps the toilet keep itself clean by continuously inhibiting the growth of stain and odor causing bacteria, mold and mildew.

*All product shown here can be used to earn credits for LEED certification*

*WaterSense is a voluntary partnership program launched by the U.S. Environmental Protection Agency (EPA) to designate product and services that conserve water and perform as intended.*